

ROBUST ALL-ROUNDERS

LISTA drawer cabinets provide a robust and well protected storage option for equipment and many other items. High-quality specifications and a variety of individual configuration options make these robust all-rounders ideal for a wide variety of requirements and environments. Their special design guarantees optimum space utilisation. In addition, housing and drawers can be variably partitioned, intelligently labelled, protected with access control and finished in almost any colour. Nowhere else will you find this degree of flexibility.






- + Utmost stability**
load capacity of housing up to 4 t; load capacity of drawers 75 or 200 kg
- + Can be utilised to the full**
since drawers can be fully extended and the drawer shell heights are optimised
- + Well protected**
against dirt, liquids and mechanical load through closed housing with impact and abrasion-resistant surface
- + Outstanding safety features**
safety catch to prevent unwanted drawer opening and anti-tilt mechanism to prevent opening of more than one drawer at a time
- + Corrosion protection**
with electrophoretic dip painting and environmentally-friendly powder coating
- + Optimum order and organisation**
thanks to special LISTA partition material for every purpose and perforated, slotted drawers
- + Professional labelling**
with LISTA Script labelling software and clip-on label holders which fold upwards
- + Perfectly smooth running**
through differential pull-out without a crossbar
- + Flexibly adaptable**
through pre-perforated holes for table tops (punch-outs), rollers, drawers, locking systems for easy retro-fitting and refitting
- + Secure locking option**
with interchangeable cylinder for adaptation to existing locking systems and electronic locking systems via CODE, RFID or AUTO Lock
- >> Fully compatible with LISTA partition material thanks to the standardised unit of measure** see p. 248

Drawer cabinets



+ Maximum use of drawer space



Optimum shell height

- drawer sides and rear panels the same height as the fronts
- maximum use of vertical space
- optimum protection against items falling out and loss of stored items



Full extension

- maximum use of horizontal space
- everything in view
- optimum access

+ Perfectly smooth running



Pull-out without crossbar

- perfectly smooth running and ease of movement through differential pull-out without a crossbar
- enables the drawer to be fully extended



Quiet locking tab

- special plastic cover in the locking tab
- smooth and quiet locking process

+ Professional labelling



Label holder which folds upwards

- on drawers, troughs, metal dividers, separators and housing
- for easy, clean and protected labelling




LISTA Script

The LISTA Script labelling software offers:

- numerous labelling options
- pictograms
- barcode generator

As a LISTA customer, you can download our LISTA Script labelling software free of charge from our website under Products › Accessories › LISTA Script.

+ Partition material for every purpose



The LISTA standard

Our drawer partition materials are standardised and therefore compatible with the entire LISTA range.

» Drawer partition material see p. 248

» LISTA Script slide-in labels see p. 268

Benefits of LISTA storage systems


Storage in drawers

Storing small parts in drawers rather than on shelves ensures that stored items are protected from dust and contamination while saving space and optimising organisation. The entire contents of the drawer are visible in no time, whereas with a shelf, items may have to be moved or reached over to gain access.

- The depth of a compartment can be adapted to suit the stored items at any time, and any number of parts can be placed one behind the other
- By simply pulling out the drawer, you can clearly see the contents and have everything within reach in a truly space-saving way

+ Example of space requirement

Usable depth $4 \times 600 = 2400 \text{ mm}$
 Depth of aisle $2 \times 1000 = 2000 \text{ mm}$ } Total 4400 mm




Storage on shelves


- If the parts are smaller than the depth of the shelves, there is a lot of unused space behind the goods
- If the items are stored behind one another, then space is needed for both visibility and access

- Example of space requirement

Usable depth $8 \times 300 = 2400 \text{ mm}$
 Depth of aisle $4 \times 800 = 3200 \text{ mm}$ } Total 5600 mm



+ Optimum order and organisation



Plastic boxes and troughs
for small and cylindrical items




Tool holders
for NC storage



Metal separators
for different sized parts



PE foam inserts
for special and measuring tools




Perforated, slotted drawers hold items firmly in place

- a series of slots around the drawer walls hold the partitioning material firmly in place
- perforated drawer bases enable slotted dividers, metal separators, dividers, holding pins or milling cutter holders to be optionally screwed in place

LISTA Units	Depth 27 E				Depth 36 E						
	18 × 27 E	27 × 27 E	36 × 27 E	54 × 27 E	18 × 36 E	27 × 36 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
Cabinet floor area mm	411 × 572	564 × 572	717 × 572	1023 × 572	411 × 725	564 × 725	717 × 725	870 × 725	1023 × 725	1193 × 725	1431 × 725
Drawer useful space mm	306 × 459	459 × 459	612 × 459	918 × 459	306 × 612	459 × 612	612 × 612	765 × 612	918 × 612	1088 × 612	1326 × 612


Drawer cabinets

+ Flexibly adaptable



Variable raised edges

- raised edges on three sides of stationary cabinets for simple and easy cleaning
- raised edges on four sides of mobile cabinets to protect the goods being transported



Punch out

- housing covers with pre-perforated holes which can be punched out
- for retrofitting with a table top or second drawer cabinet on top




Base/forklift base

- optional base and forklift base (for drawer cabinets with a width of 36 E and over)
- makes it easy to adjust the height of the drawer cabinet
- enables the loaded cabinet to be lifted and moved with a forklift truck



Mobile cabinets

- Our mobile cabinets are supplied with:
- raised edges on all four sides and push-bar
 - black ribbed mat
 - two swivel castors with brakes
 - two fixed castors and single-drawer locking mechanism
- Stationary cabinets can be converted to mobile cabinets at any time.



+ Individual configuration options

As standard, LISTA drawer cabinets are available in seven different widths, two depths and a variety of heights. The configuration options in terms of size, equipment, locking system, colour and drawer partitions are almost unlimited.

Our drawer cabinets can be combined individually to suit any working environment in order to make maximum use of available space. They can be extended at any time and therefore offer a scalable solution tailored to your needs.

Typical configurations



Configuration as a drawer cabinet



Configuration as a drawer cabinet with recessed hinged door, pull-out shelves and adjustable shelves



Configuration as a drawer cabinet with drawers, recessed hinged door, pull-out shelves and adjustable shelves



Configuration as a mobile drawer cabinet with raised edges and a push-bar



Toolbox: Drawer cabinet with combined drawer widths (64/36/18 E).
Version: stationary or mobile



ESD version available on request



+ Outstanding safety features



Single drawer opening as standard

- prevents the cabinet from tipping over by blocking all other drawers when one drawer is pulled out
- allows for drawers to be moved around into a different arrangement at any time



Flush drawer front

- drawer handles with side covers which sit snugly within the front profile
- look good and are safe



Safety catches

- comply with all regulations against drawers accidentally falling out of cabinets
- reduce the risk of injuries at the workplace
- can easily be deactivated in order to move individual drawers



Information on load capacity

- the load capacity (75 or 200 kg) is inscribed on the drawer runners
- increased safety

+ Extra safety for stationary and mobile cabinets



Safety catch on right

- our standard safety catch for all mobile cabinets
- can be operated with one hand



Single safety catch on the right and left

- especially suitable for mobile equipment
- both hands are needed to operate them



Double safety catch

- has all the same features as the single safety catch on the left and the right
- easier to use since it can be operated with one hand



Lilo locking device

- with external lever for fixing the fully laden drawer in either open or closed position
- for a drawer load capacity of 200 kg


Drawer cabinets

Countless configuration options




Covers

Raised edges on three sides and ribbed mat, Resin-coated cover panel, Multiplex cover panel, Raised edges on 4 sides, with push-bar (for mobile cabinets)



Partition material

Slotted dividers, separators, trough walls, metal separators, label holders, plastic boxes and trough separators, milling cutter holders and holding pins, non-slip mats, foam inserts and much more.



Inserts and add-ons

Drawers, pull-out and adjustable shelves, hinged doors



Locking systems

KEY Lock, CODE Lock, RFID Lock or AUTO Lock

Substructures

Housing base, 2-way pallet/ forklift truck base, Pairs of castor holders, individual castors and levelling feet

Order preconfigured models

» Page 46–59



LISTA Units



1. Pre-configured ordering examples

» Page 248



2. Partition material


▪ or options

... or configure and order cabinets individually


» Page 60–65



LISTA Units



1. Housing



2. Drawers



3. Accessories

» Page 248



4. Partition material

- select the cabinet floor area (e. g. 717 × 572 mm = 36 × 27 E or 717 × 725 mm = 36 × 36 E)
- LISTA Unit E × E = a unit of measure which helps to choose drawers and partition materials

- choice of various housing heights (A)
- the choice of housing always includes the choice of the preferred locking system and the colour

- define the height of the front, the load capacity, the colour and the type of safety catch
- sum of the drawer front heights (C) = clear height (B) (see diagram)

- can be equipped with drawers and doors
- select the cabinet accessories
- mobile cabinets must have a drawer safety catch and a push-bar

- select the partition material for the drawers
- N.B.: take the drawer height and usable surface into account!

12 standard colours

Maximum flexibility thanks to free choice of colours

All products with a choice of colours are available in 12 standard colours and 6 colour combinations without surcharge. The three-digit colour code (e.g. **.010**) forms part of the article number. When ordering, please complete the article number by adding the desired three-digit colour code (e.g. **70.701.010**). Housings and drawers can also be ordered in different colours.



.010 Light blue
RAL 5012



.020 Light grey
RAL 7035



.030 Reseda green
RAL 6011



.040 Capri blue
RAL 5019



.050 Metallic grey
NCS S 6502-B



.060 Black
NCS S 9000-N



.070 Ruby red
RAL 3003



.080 Pigeon grey
NCS S 4502-B



.090 Gentian violet
RAL 5010



.100 Signal blue
RAL 5005



.110 Pure white
RAL 9010



.200 Anthracite grey
RAL 7016

6 colour combinations



.514 Light grey
RAL 7035
Light blue
RAL 5012



.518 Light grey
RAL 7035
Signal blue
RAL 5005



.519 Light grey
RAL 7035
Metallic grey
NCS S 6502-B



.521 Metallic grey
NCS S 6502-B
Light grey
RAL 7035



.512 Light grey
RAL 7035
Ruby red
RAL 3003



.522 Ruby red
RAL 3003
Metallic grey
NCS S 6502-B

An additional 12 predefined colours

(at extra cost)

.120 Grey aluminium
RAL 9007

.130 White aluminium
RAL 9006

.140 Light grey
NCS S 2000-N

.170 Ultramarine blue
RAL 5002

.180 Grey white
RAL 9002

.190 Sky blue
RAL 5015

.210 Brilliant blue
RAL 5007

.220 Turquoise blue
RAL 5018

.230 Pebble grey
RAL 7032

.240 Flame red
RAL 3000

.260 Slate grey
RAL 7015

.280 Orange
RAL 2004

Your individual choice of colour on request

LISTA is able to deliver any individual colour on request. In addition to the existing standard and predefined colours, it is also possible to produce your desired product in any colour you choose on request.



Due to the printing process, these colour samples may deviate from the original colours.

Drawer cabinets | stationary and mobile



Art. no. **78.414.521**
 Housing: Metallic grey, NCS 6502-B
 Fronts: Light grey, RAL 7035
 (excluding partition material)













Art. no. **78.423.070.C**
 Ruby red, RAL 3003
 (excluding partition material)


Mobile cabinets

All mobile drawer cabinets on these two pages are equipped with:
 1 raised edge on 4 sides and ribbed mat,
 1 push-bar,
 1 pair castor holders with nylon castors Ø 100 mm,
 Drawer safety catch on right, Load capacity 400 kg

18 × 27 E **W → 411 mm** **D ↗ 572 mm**


 306 × 459 mm

	H ↑	Number of drawers mm	kg	Locking system	Art. no.
	283	2: 1 × 50 / 1 × 150	75	KEY Lock	78.400.XXX
	283	2: 2 × 100	75	KEY Lock	78.402.XXX
	283	3: 1 × 50 / 2 × 75	75	KEY Lock	78.404.XXX
	383	3: 1 × 50 / 1 × 100 / 1 × 150	75	KEY Lock	78.406.XXX
	383	3: 2 × 75 / 1 × 150	75	KEY Lock	78.408.XXX
	383	4: 1 × 50 / 2 × 75 / 1 × 100	75	KEY Lock	78.410.XXX
	533	4: 1 × 50 / 1 × 100 / 2 × 150	75	KEY Lock	78.414.XXX
	700	3: 1 × 100 / 1 × 200 / 1 × 300	75	KEY Lock	78.418.XXX
	700	5: 2 × 75 / 3 × 150	75	KEY Lock	78.420.XXX
	723	4: 1 × 50 / 1 × 100 / 2 × 150	75	KEY Lock	78.423.XXX
	723	5: 2 × 50 / 2 × 100 / 1 × 150	75	KEY Lock	78.425.XXX
	840	6: 2 × 50 / 2 × 75 / 2 × 150	75	KEY Lock	78.427.XXX



When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix "**C**" or for **RFID** or **AUTO Lock** the suffix "**F**" or "**A**" to the article number from the table (e.g. **78.467.XXX.C**).

➤ Other locking systems see p. 28–31





27×27 E **W** → 564 mm **D** ↗ 572 mm

459×459 mm



H ↑	Number of drawers mm	kg	Lock	Art. no.
283	2: 1×50/1×150	75	KEY Lock	78.461.XXX
283	2: 2×100	75	KEY Lock	78.463.XXX
283	3: 2×50 / 1×100	75	KEY Lock	78.465.XXX
383	2: 1×100 / 1×200	75	KEY Lock	78.467.XXX
383	3: 1×50 / 1×100 / 1×150	75	KEY Lock	78.469.XXX
383	4: 1×50 / 2×75 / 1×100	75	KEY Lock	78.471.XXX
700	6: 1×50 / 2×75 / 2×100 / 1×200	75	KEY Lock	78.486.XXX
800	4: 2×100 / 1×200 / 1×300	75	KEY Lock	78.289.XXX
800	5: 1×50 / 2×100 / 1×150 / 1×300	75	KEY Lock	78.882.XXX
850	4: 1×100 / 1×150 / 1×200 / 1×300	75	KEY Lock	79.380.XXX
850	5: 1×100 / 3×150 / 1×200	75	KEY Lock	14.256.XXX
850	6: 2×75 / 2×100 / 2×200	75	KEY Lock	14.258.XXX
850	6: 1×50 / 2×100 / 2×150 / 1×200	75	KEY Lock	78.953.XXX
850	7: 2×75 / 3×100 / 2×150	75	KEY Lock	14.252.XXX
850	8: 1×50 / 2×75 / 4×100 / 1×150	75	KEY Lock	14.250.XXX
723	4: 1×50 / 1×75 / 1×125 / 1×200	75	KEY Lock	78.489.XXX
723	5: 1×50 / 2×75 / 1×100 / 1×150	75	KEY Lock	78.491.XXX
840	6: 2×50 / 2×75 / 2×150	75	KEY Lock	78.493.XXX
890	5: 4×100 / 1×200	75	KEY Lock	14.249.XXX
890	6: 1×50 / 2×75 / 2×100 / 1×200	75	KEY Lock	14.247.XXX
890	6: 2×75 / 3×100 / 1×150	75	KEY Lock	14.245.XXX

S Art. no. **14.252.010**
Light blue, RAL 5012
(excluding partition material)



S
S
S
S

Art. no. **14.245.020**
Light grey, RAL 7035
(excluding partition material)

S **LISTA quick delivery range**
These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

.010 Light blue RAL 5012 **.020** Light grey RAL 7035

Drawer cabinets | stationary and mobile



Art. no. **78.556.521**
 Housing: Metallic grey, NCS S 6502-B
 Fronts: Light grey, RAL 7035
 (excluding partition material)



36 x 27 E **W** → 717 mm **D** ↗ 572 mm

612 x 459 mm



H ↑	Number of drawers	mm	kg	locking system	Art. no.
700	5: 1×50 / 2×100 / 1×150 / 1×200		75	KEY Lock	78.556.XXX
700	5: 2×75 / 2×100 / 1×250		75	KEY Lock	78.560.XXX
700	6: 2×75 / 3×100 / 1×150		75	KEY Lock	78.564.XXX



850	7: 1×50 / 2×75 / 2×100 / 1×150 / 1×200		75	KEY Lock	78.568.XXX
850	7: 2×75 / 2×100 / 2×125 / 1×150		75	KEY Lock	78.572.XXX
850	8: 4×75 / 3×100 / 1×150		75	KEY Lock	78.576.XXX



1000	7: 1×50 / 2×75 / 2×100 / 1×200 / 1×300		75	KEY Lock	78.580.XXX
1000	7: 2×75 / 1×100 / 3×150 / 1×200		75	KEY Lock	78.584.XXX
1000	8: 1×50 / 2×75 / 3×100 / 1×150 / 1×250		75	KEY Lock	78.588.XXX



957	5: 1×50 / 2×100 / 1×150 / 1×200		75	KEY Lock	78.604.XXX
957	5: 2×75 / 2×100 / 1×250		75	KEY Lock	78.608.XXX
957	6: 2×75 / 3×100 / 1×150		75	KEY Lock	78.606.XXX

Mobile cabinets

All mobile drawer cabinets on these two pages are equipped with:
 1 raised edge on four sides including ribbed mat, 1 push-bar, 1 pair of castor holders with rubber castors Ø 160 mm, single drawer safety catch on the right, load capacity 600 kg

= load capacity
 = locking system



When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix "C" or for **RFID** or **AUTO Lock** the suffix "F" or "A" to the article number from the table (e.g. **78.467.XXX.C**).

➤ Other locking systems see p. 28–31



Art. no. **78.608.030**
 Reseda green, RAL 6011
 (excluding partition material)



Art. no. **78.782.010**
Light blue, RAL 5012
(excluding partition material)



Art. no. **69.561.200**
Anthracite grey, RAL 7016
(incl. folding countertop, perforated side panel and perforated rear panel)

» Toolbox
see p. 72–73

54×27 E W → 1023 mm D ↗ 572 mm

918×459 mm



H ↑	Number of drawers mm	kg	Lock	Art. no.
850	5: 3×100 / 1×150 / 1×300**	75	KEY Lock	78.742.XXX
850	5: 3×100 / 1×150 / 1×300	200	KEY Lock	78.744.XXX
850	6: 2×75 / 2×100 / 1×150 / 1×250**	75	KEY Lock	78.746.XXX
850	6: 2×75 / 2×100 / 1×150 / 1×250	200	KEY Lock	78.748.XXX
850	7: 1×50 / 2×75 / 2×100 / 1×150 / 1×200	75	KEY Lock	78.750.XXX
850	7: 1×50* / 2×75 / 2×100 / 1×150 / 1×200	200	KEY Lock	78.752.XXX
1000	6: 3×100 / 2×150 / 1×300**	75	KEY Lock	78.754.XXX
1000	6: 3×100 / 2×150 / 1×300	200	KEY Lock	78.756.XXX
1000	7: 2×75 / 1×100 / 3×150 / 1×200	75	KEY Lock	78.758.XXX
1000	7: 2×75 / 1×100 / 3×150 / 1×200	200	KEY Lock	78.760.XXX
1000	8: 2×75 / 4×100 / 1×150 / 1×200	75	KEY Lock	78.762.XXX
1000	8: 2×75 / 4×100 / 1×150 / 1×200	200	KEY Lock	78.764.XXX
1450	9: 2×75 / 2×100 / 2×150 / 2×200 / 1×300**	75	KEY Lock	78.766.XXX
1450	9: 2×75 / 2×100 / 2×150 / 2×200 / 1×300	200	KEY Lock	78.768.XXX
1450	10: 2×75 / 3×100 / 2×150 / 3×200	75	KEY Lock	78.770.XXX
1450	10: 2×75 / 3×100 / 2×150 / 3×200	200	KEY Lock	78.772.XXX
1450	11: 2×75 / 5×100 / 2×150 / 2×200	75	KEY Lock	78.774.XXX
1450	11: 2×75 / 5×100 / 2×150 / 2×200	200	KEY Lock	78.776.XXX
957	4: 1×100 / 2×150 / 1×200	75	KEY Lock	78.778.XXX
957	5: 2×75 / 1×100 / 1×150 / 1×200	75	KEY Lock	78.780.XXX
957	6: 2×75 / 3×100 / 1×150	75	KEY Lock	78.782.XXX



Art. no. **78.770.020**
Light grey, RAL 7035
(excluding partition material)

64×27 E W → 1193 mm D ↗ 572 mm



H ↑	Number of drawers mm	kg	Lock	Art. no.
1090 ¹	9: 2×100 (64E) / 2×150, 1×200 (36E) / 2×150, 2×100 (18E) / with folding countertop, perforated side panel and perforated rear panel	75	KEY Lock	69.561.XXX



Drawer cabinets | stationary and mobile

In addition to the stationary versions, all LISTA drawer cabinets are also available as mobile cabinets. This increased mobility provides greater convenience and gains extra space. Mobile cabinets enable you to transport stored items easily and quickly and can conveniently be stored under a work surface if space is at a premium.

+ Greater mobility
through smooth-running nylon and rubber castors, depending on the properties of the floor

+ Optimum use of space
when positioned under work surfaces

+ Safe and convenient
thanks to raised edges all round, ergonomic push-bar and additional drawer safety mechanisms

**>> Benefits of LISTA
drawer cabinets**
see p. 38/39



Art. no. **78.459.512**
Housing: Light grey, RAL 7035
Fronts: Ruby red, RAL 3003
(excluding partition material)



Art. no. **78.449.010**
Light blue, RAL 5012
(excluding partition material)



Art. no. **78.439.512.C**
Housing: Light grey, RAL 7035
Fronts: Ruby red, RAL 3003
(excluding partition material)

18 × 36 E W → **411 mm** D ↗ **725 mm**

306 × 612 mm

	H ↑	Number of drawers mm	kg	Locking system	Art. no.
	283	2: 1 × 50 / 1 × 150	75	KEY Lock	78.431.XXX
	283	2: 2 × 100	75	KEY Lock	78.433.XXX
	283	3: 1 × 50 / 2 × 75	75	KEY Lock	78.435.XXX
	383	3: 2 × 75 / 1 × 150	75	KEY Lock	78.437.XXX
	383	3: 1 × 50 / 1 × 100 / 1 × 150	75	KEY Lock	78.439.XXX
	383	4: 1 × 50 / 2 × 75 / 1 × 100	75	KEY Lock	78.441.XXX
	700	3: 2 × 150 / 1 × 300	75	KEY Lock	78.447.XXX
	700	5: 2 × 75 / 3 × 150	75	KEY Lock	78.449.XXX
	723	4: 1 × 50 / 1 × 100 / 2 × 150	75	KEY Lock	78.453.XXX
	723	5: 2 × 50 / 2 × 100 / 1 × 150	75	KEY Lock	78.455.XXX
	840	6: 2 × 50 / 2 × 75 / 2 × 150	75	KEY Lock	78.457.XXX
	890	5: 2 × 75 / 3 × 150	75	KEY Lock	78.459.XXX

i

When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix "**C**" or for **RFID** or **AUTO Lock** the suffix "**F**" or "**A**" to the article number from the table (e.g. **78.467.XXX.C**).

➤ Other locking systems see p. 28–31

Mobile cabinets

All mobile drawer cabinets on this page are equipped with:
1 raised edge on 4 sides and ribbed mat,
1 push-bar,
1 pair castor holders with nylon castors Ø 100 mm,
Drawer safety catch on right, Load capacity 400 kg



Drawer cabinets | stationary and mobile



27 × 36 E **W → 564 mm** **D ↗ 725 mm**

459 × 612 mm

H ↑	Number of drawers mm	kg	Locking system	Art. no.
283	2: 1 × 50 / 1 × 150	75	KEY Lock	78.497.XXX
283	2: 2 × 100	75	KEY Lock	78.499.XXX
383	3: 1 × 50 / 1 × 100 / 1 × 150	75	KEY Lock	14.437.XXX
383	3: 2 × 75 / 1 × 150	75	KEY Lock	78.505.XXX
533	4: 1 × 50 / 2 × 100 / 1 × 200	75	KEY Lock	15.009.XXX
533	5: 1 × 50 / 2 × 75 / 1 × 100 / 1 × 150	75	KEY Lock	78.511.XXX
700	5: 2 × 75 / 1 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	78.518.XXX
700	4: 1 × 100 / 2 × 150 / 1 × 200	75	KEY Lock	14.350.XXX
700	6: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 200	75	KEY Lock	14.352.XXX
800	4: 2 × 100 / 1 × 200 / 1 × 300	75	KEY Lock	14.371.XXX
800	5: 1 × 50 / 2 × 100 / 1 × 150 / 1 × 300	75	KEY Lock	14.368.XXX
800	6: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	78.522.XXX
800	7: 1 × 50 / 2 × 75 / 2 × 100 / 2 × 150	75	KEY Lock	14.354.XXX
800	7: 2 × 75 / 4 × 100 / 1 × 150	75	KEY Lock	14.367.XXX
800	1: 1 × 100 + 1 door 600, right / 1 adjustable shelf / 1 pull-out shelf	75	KEY Lock	78.524.XXX
850	4: 3 × 150 / 1 × 300	75	KEY Lock	78.525.XXX
850	5: 1 × 50 / 2 × 100 / 1 × 200 / 1 × 300	75	KEY Lock	78.527.XXX
850	6: 1 × 75 / 3 × 100 / 1 × 125 / 1 × 250	75	KEY Lock	78.529.XXX
850	5: 2 × 100 / 1 × 150 / 2 × 200	75	KEY Lock	14.399.XXX
850	6: 1 × 50 / 2 × 100 / 2 × 150 / 1 × 200	75	KEY Lock	14.407.XXX
850	7: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	14.404.XXX
850	7: 2 × 75 / 3 × 100 / 2 × 150	75	KEY Lock	14.405.XXX
850	8: 1 × 50 / 2 × 75 / 4 × 100 / 1 × 150	75	KEY Lock	14.403.XXX

Art. no. **14.367.519.C**
 Housing: Light grey, RAL 7035
 Fronts: Metallic grey, NCS S 6502-B
 (excluding partition material)

S
S

» Accessories
see p. 62

S
S

S
S

S
S
S
S



Equipped with drawers and doors

Drawer cabinets can optionally be fitted with drawers and a door. Because the door is recessed, special pull-out shelves are used. As standard, the two locks have different keys. Identical locks or a CODE/RFID Lock locking system are available on request (CODE/RFID Lock is not available for doors).

Art. no. **78.524.522**
 Housing: Ruby red, RAL 3003
 Fronts: Metallic grey, NCS S 6502-B
 (excluding partition material)



27 × 36 E W → 564 mm D ↗ 725 mm

459 × 612 mm



H ↑	Number of drawers mm	kg	Lock	Art. no.
723	4: 1 × 50 / 2 × 100 / 1 × 200	75	KEY Lock	14.281.XXX
723	5: 2 × 50 / 2 × 100 / 1 × 150	75	KEY Lock	14.331.XXX
723	6: 2 × 50 / 2 × 75 / 2 × 100	75	KEY Lock	14.347.XXX

S
S

Art. no. **14.373.512**
 Housing: Light grey, RAL 7035
 Fronts: Ruby red, RAL 3003
 (excluding partition material)

890	5: 2 × 75 / 1 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	78.546.XXX
890	6: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 200	75	KEY Lock	78.548.XXX

990	5: 1 × 50 / 2 × 100 / 1 × 150 / 1 × 300	75	KEY Lock	14.374.XXX
990	5: 3 × 100 / 2 × 200	75	KEY Lock	14.397.XXX
990	7: 1 × 50 / 2 × 75 / 2 × 100 / 2 × 150	75	KEY Lock	14.372.XXX
990	7: 2 × 75 / 4 × 100 / 1 × 150	75	KEY Lock	14.373.XXX

S


S
S

760	3: 1 × 50 / 1 × 100 / 1 × 150 / 1 set of support brackets (upper)	75	KEY Lock	70.632.XXX
760	1 adjustable shelf	75	-	78.216.XXX

810	1 adjustable shelf	75	-	70.633.XXX
-----	--------------------	----	---	------------

Mobile cabinets

All mobile drawer cabinets on this page are equipped with:
 1 raised edge on 4 sides and ribbed mat,
 1 push-bar,
 1 pair castor holders with nylon castors Ø 100 mm,
 Drawer safety catch on right, Load capacity 400 kg



When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix "C" or for **RFID** or **AUTO Lock** the suffix "F" or "A" to the article number from the table (e.g. **78.467.XXX.C**).

Other locking systems see p. 28–31

LISTA quick delivery range

These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

.010

Light blue
RAL 5012

.020

Light grey
RAL 7035



Drawer cabinets | stationary and mobile



Art. no. **14.505.514.C**
 Housing: Light grey, RAL 7035
 Fronts: Light blue, RAL 5012
 (excluding partition material)

36 x 36 E **W** → 717 mm **D** ↗ 725 mm

612 x 612 mm



H ↑	Number of drawers mm	kg	Locking system	Art. no.
800	4: 1×100 / 2×150 / 1×300	75	KEY Lock	78.632.XXX
800	6: 2×75 / 2×100 / 1×150 / 1×200	75	KEY Lock	78.636.XXX
850	4: 1×100 / 1×150 / 1×200 / 1×300	75	KEY Lock	79.382.XXX
850	4: 1×100 / 1×150 / 1×200 / 1×300	200	KEY Lock	79.498.XXX
850	5: 1×50 / 2×100 / 1×200 / 1×300	75	KEY Lock	14.411.XXX
850	5: 1×50* / 2×100 / 1×200 / 1×300	200	KEY Lock	14.505.XXX
850	5: 1×100 / 3×150 / 1×200	75	KEY Lock	14.410.XXX
850	5: 1×100 / 3×150 / 1×200	200	KEY Lock	14.504.XXX
850	7: 1×50 / 2×75 / 2×100 / 1×150 / 1×200	75	KEY Lock	78.640.XXX
850	7: 1×50* / 2×75 / 2×100 / 1×150 / 1×200	200	KEY Lock	78.642.XXX
850	7: 2×75 / 3×100 / 2×150	75	KEY Lock	14.409.XXX
850	7: 2×75 / 3×100 / 2×150	200	KEY Lock	14.503.XXX
850	8: 1×50 / 2×75 / 4×100 / 1×150	75	KEY Lock	14.408.XXX
850	8: 1×50* / 2×75 / 4×100 / 1×150	200	KEY Lock	14.502.XXX

* Load capacity max. 75 kg

i

When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix "**C**" or for **RFID** or **AUTO Lock** the suffix "**F**" or "**A**" to the article number from the table (e.g. **78.467.XXX.C**).

➤ Other locking systems see p. 28–31

S

LISTA quick delivery range
 These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

.010 Light blue RAL 5012 **.020** Light grey RAL 7035



S Art. no. **18.205.010**
Light blue, RAL 5012
(excluding partition material)



Art. no. **13.106.200**
Anthracite grey, RAL 7016
(excluding partition material)

36 × 36 E **W** → 717 mm **D** ↗ 725 mm

612 × 612 mm

H ↑	Number of drawers mm	kg	Lock	Art. no.
1000	6: 1 × 50/3 × 150/2 × 200	75	KEY Lock	14.417.XXX
1000	6: 1 × 50*/3 × 150/2 × 200	200	KEY Lock	14.510.XXX
1000	6: 1 × 100/4 × 150/1 × 200	75	KEY Lock	14.415.XXX
1000	6: 1 × 100/4 × 150/1 × 200	200	KEY Lock	14.509.XXX
1000	7: 1 × 50/2 × 75/2 × 100/1 × 200/1 × 300	75	KEY Lock	14.416.XXX
1000	7: 1 × 50*/2 × 75/2 × 100/1 × 200/1 × 300	200	KEY Lock	18.205.XXX
1000	8: 1 × 50/2 × 75/2 × 100/2 × 150/1 × 200	75	KEY Lock	14.414.XXX
1000	8: 1 × 50*/2 × 75/2 × 100/2 × 150/1 × 200	200	KEY Lock	14.508.XXX
1000	8: 2 × 75/3 × 100/3 × 150	75	KEY Lock	14.412.XXX
1000	8: 2 × 75/3 × 100/3 × 150	200	KEY Lock	14.506.XXX
1000	9: 9 × 100	75	KEY Lock	78.648.XXX
1000	9: 9 × 100	200	KEY Lock	78.650.XXX
1000	10: 1 × 50/2 × 75/7 × 100	75	KEY Lock	14.413.XXX
1000	10: 1 × 50*/2 × 75/7 × 100	200	KEY Lock	14.507.XXX
1450	9: 2 × 75/2 × 100/2 × 150/2 × 200/1 × 300	75	KEY Lock	78.309.XXX
1450	9: 2 × 75/2 × 100/2 × 150/2 × 200/1 × 300	200	KEY Lock	14.511.XXX
1450	9: 3 × 100/5 × 150/1 × 300	75	KEY Lock	78.311.XXX
1450	9: 3 × 100/5 × 150/1 × 300	200	KEY Lock	13.106.XXX
1450	10: 1 × 50/5 × 100/4 × 200	75	KEY Lock	78.313.XXX
1450	10: 1 × 50*/5 × 100/4 × 200	200	KEY Lock	14.512.XXX
890	3: 1 × 100/1 × 200/1 × 300	200	KEY Lock	69.927.XXX
890	5: 1 × 50/2 × 100/1 × 150/1 × 200	75	KEY Lock	69.928.XXX
890	6: 2 × 75/3 × 100/1 × 150	75	KEY Lock	69.929.XXX
957	5: 1 × 50/2 × 100/1 × 150/1 × 200	75	KEY Lock	78.652.XXX
1107	7: 2 × 75/2 × 100/2 × 125/1 × 150	75	KEY Lock	78.666.XXX
1107	8: 4 × 75/3 × 100/1 × 150	75	KEY Lock	78.668.XXX

S
S
S
S
S
S

Mobile cabinets

All mobile drawer cabinets on this page are equipped with:
1 raised edge on 4 sides and ribbed mat,
1 push-bar,
1 pair castor holders with rubber castors Ø 160 mm, Drawer safety catch on right, Load capacity 600 kg
For height 890 mm:
Rubber casters Ø 100 mm, capacity 400 kg

S
S



Art. no. **78.668.090**
Gentian blue, RAL 5010
(excluding partition material)



Drawer cabinets | stationary



Art. no. **78.682.519**
Housing: Light grey, RAL 7035
Fronts: Metallic grey, NCS S 6502-B
(excluding partition material)

45 × 36 E

W → 870 mm

D ↗ 725 mm

 765 × 612 mm




H ↑	Number of drawers mm	kg	Locking system	Art. no.
850	7: 1 × 50/2 × 75/2 × 100/1 × 150/1 × 200	75	KEY Lock	78.686.XXX
850	7: 1 × 50*/2 × 75/2 × 100/1 × 150/1 × 200	200	KEY Lock	78.688.XXX
850	7: 2 × 75/2 × 100/2 × 125/1 × 150	75	KEY Lock	78.690.XXX
850	7: 2 × 75/2 × 100/2 × 125/1 × 150	200	KEY Lock	78.692.XXX
850	8: 4 × 75/3 × 100/1 × 150	75	KEY Lock	78.682.XXX
850	8: 4 × 75/3 × 100/1 × 150	200	KEY Lock	78.684.XXX
1000	7: 1 × 50/2 × 75/2 × 100/1 × 200/1 × 300	75	KEY Lock	78.694.XXX
1000	7: 1 × 50*/2 × 75/2 × 100/1 × 200/1 × 300	200	KEY Lock	78.696.XXX
1000	8: 1 × 50/2 × 75/3 × 100/1 × 150/1 × 250**	75	KEY Lock	78.698.XXX
1000	8: 1 × 50*/2 × 75/3 × 100/1 × 150/1 × 250	200	KEY Lock	78.700.XXX
1000	8: 3 × 50/2 × 75/2 × 100/1 × 150/1 × 250**	75	KEY Lock	78.702.XXX
1000	8: 3 × 50*/2 × 75/2 × 100/1 × 150/1 × 250	200	KEY Lock	78.704.XXX
1450	9: 3 × 100/5 × 150/1 × 300**	75	KEY Lock	78.706.XXX
1450	9: 3 × 100/5 × 150/1 × 300	200	KEY Lock	78.708.XXX
1450	9: 9 × 150	75	KEY Lock	78.710.XXX
1450	9: 9 × 150	200	KEY Lock	78.712.XXX
1450	13: 4 × 75/6 × 100/3 × 150	75	KEY Lock	78.714.XXX
1450	13: 4 × 75/6 × 100/3 × 150	200	KEY Lock	78.716.XXX

* Load capacity max. 75 kg

** Load capacity 200 kg

i



When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix "**C**" or for **RFID** or **AUTO Lock** the suffix "**F**" or "**A**" to the article number from the table (e.g. **78.467.XXX.C**).

» Other locking systems see p. 28–31



Art. no. **78.716.010**
Light blue, RAL 5012
(excluding partition material)



Art. no. **78.297.280.C**
Orange, RAL 2004
(excl. partition material)

54 × 36 E


W → 1023 mm

D ↗ 725 mm

 918 × 612 mm



H ↑ **Number of drawers mm**

  Art. no. 

850	5: 3 × 100 / 1 × 150 / 1 × 300**	75	KEY Lock	78.796.XXX
850	5: 3 × 100 / 1 × 150 / 1 × 300	200	KEY Lock	78.798.XXX
850	6: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 250**	75	KEY Lock	78.800.XXX
850	6: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 250	200	KEY Lock	78.802.XXX
850	7: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	78.804.XXX
850	7: 1 × 50* / 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	200	KEY Lock	78.806.XXX
1000	5: 2 × 100 / 2 × 200 / 1 × 300**	75	KEY Lock	79.390.XXX
1000	5: 2 × 100 / 2 × 200 / 1 × 300	200	KEY Lock	79.392.XXX
1000	6: 1 × 100 / 4 × 150 / 1 × 200	75	KEY Lock	78.291.XXX
1000	6: 1 × 100 / 4 × 150 / 1 × 200	200	KEY Lock	14.515.XXX
1000	7: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 200 / 1 × 300**	75	KEY Lock	78.292.XXX
1000	7: 1 × 50* / 2 × 75 / 2 × 100 / 1 × 200 / 1 × 300	200	KEY Lock	14.516.XXX
1000	8: 1 × 50 / 2 × 75 / 2 × 100 / 2 × 150 / 1 × 200	75	KEY Lock	78.293.XXX
1000	8: 1 × 50* / 2 × 75 / 2 × 100 / 2 × 150 / 1 × 200	200	KEY Lock	12.541.XXX
1000	8: 2 × 75 / 3 × 100 / 3 × 150	75	KEY Lock	78.294.XXX
1000	8: 2 × 75 / 3 × 100 / 3 × 150	200	KEY Lock	14.513.XXX
1000	10: 1 × 50 / 2 × 75 / 7 × 100	75	KEY Lock	78.295.XXX
1000	10: 1 × 50* / 2 × 75 / 7 × 100	200	KEY Lock	14.514.XXX
1450	9: 2 × 75 / 2 × 100 / 2 × 150 / 2 × 200 / 1 × 300**	75	KEY Lock	78.296.XXX
1450	9: 2 × 75 / 2 × 100 / 2 × 150 / 2 × 200 / 1 × 300	200	KEY Lock	12.550.XXX
1450	9: 3 × 100 / 5 × 150 / 1 × 300**	75	KEY Lock	78.297.XXX
1450	9: 3 × 100 / 5 × 150 / 1 × 300	200	KEY Lock	14.518.XXX
1450	10: 1 × 50 / 5 × 100 / 4 × 200	75	KEY Lock	78.298.XXX
1450	10: 1 × 50* / 5 × 100 / 4 × 200	200	KEY Lock	14.519.XXX

S

LISTA quick delivery range

These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

.010

Light blue
RAL 5012

.020

Light grey
RAL 7035

S

S

S

S

S

S

S

S

S

S

S

S



Art. no. **14.516.514**
Housing: Light grey, RAL 7035
Fronts: Light blue, RAL 5012
(excluding partition material)



Drawer cabinets | stationary



64 × 36 E

W → 1193 mm

D ↗ 725 mm

1088 × 612 mm



H ↑	Number of drawers mm	Model	kg	Locking system	Art. no.
1000	7: 2 × 75 / 2 × 100 / 1 × 150** / 2 × 200**	-	75	KEY Lock	78.826.XXX
1000	7: 2 × 75 / 2 × 100 / 1 × 150 / 2 × 200	-	200	KEY Lock	78.828.XXX
1000	8: 2 × 75 / 4 × 100 / 1 × 150** / 1 × 200**	-	75	KEY Lock	78.830.XXX
1000	8: 2 × 75 / 4 × 100 / 1 × 150 / 1 × 200	-	200	KEY Lock	78.832.XXX
1000	8: 2 × 75 / 3 × 100 / 3 × 150**	-	75	KEY Lock	78.834.XXX
1000	8: 2 × 75 / 3 × 100 / 3 × 150	-	200	KEY Lock	78.836.XXX
1450	10: 2 × 150 / 1 × 125 / 1 × 75 / 3 × 100 / 1 × 150 / 2 × 200	-	200	KEY Lock	78.838.XXX
1450	11: 1 × 150 / 1 × 125 / 1 × 75 / 5 × 100 / 2 × 150 / 1 × 200	-	200	KEY Lock	78.840.XXX
1450	12: 1 × 150 / 1 × 125 / 3 × 75 / 5 × 100 / 1 × 150 / 1 × 200	-	200	KEY Lock	78.842.XXX
870	8: 1 × 200** (64E) / 2 × 150, 1 × 200 (36E) / 2 × 150, 2 × 100 (18E)	Multiplex top, 20mm	75	KEY Lock	69.562.XXX



Art. no. **78.842.514**
Housing: Light grey, RAL 7035
Fronts: Light blue, RAL 5012
(excluding partition material)



Art. no. **69.562.200**
with Multiplex cover panel, 20mm
anthracite grey, RAL 7016

Toolbox
see p. 72–73







Art. no. **78.868.512**
 Housing: Light grey, RAL 7035
 Fronts: Ruby red, RAL 3003
 (excluding partition material)

78 × 36 E **W** → 1431 mm **D** ↗ 725 mm

 1326 × 612 mm



H ↑	Number of drawers	mm			Art. no. 
1000	5: 2 × 100 / 2 × 200** / 1 × 300**		75	KEY Lock	79.492.XXX
1000	5: 2 × 100 / 2 × 200 / 1 × 300		200	KEY Lock	79.494.XXX
1000	7: 2 × 75/2 × 100 / 1 × 150** / 2 × 200**		75	KEY Lock	78.856.XXX
1000	7: 2 × 75/2 × 100 / 1 × 150 / 2 × 200		200	KEY Lock	78.858.XXX
1000	8: 2 × 75/4 × 100 / 1 × 150** / 1 × 200**		75	KEY Lock	78.860.XXX
1000	8: 2 × 75/4 × 100 / 1 × 150 / 1 × 200		200	KEY Lock	78.862.XXX
1450	10: 2 × 150 / 1 × 125 / 1 × 75 / 3 × 100 / 1 × 150 / 2 × 200		200	KEY Lock	78.868.XXX
1450	11: 1 × 150 / 1 × 125 / 1 × 75 / 5 × 100 / 2 × 150 / 1 × 200		200	KEY Lock	78.870.XXX
1450	12: 1 × 150 / 1 × 125 / 3 × 75 / 5 × 100 / 1 × 150 / 1 × 200		200	KEY Lock	78.872.XXX

i 

When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix "**C**" or for **RFID** or **AUTO Lock** the suffix "**F**" or "**A**" to the article number from the table (e.g. **78.467.XXX.C**).

➤ Other locking systems see p. 28–31



Drawer cabinets | freely configurable

1. Cabinet housing with locking systems

To lock all drawers simultaneously, the cabinet housing can be customised with the electronic KEY Lock, CODE Lock, RFID Lock or AUTO Lock.



Housing with KEY Lock



Housing with CODE Lock



Housing with RFID Lock



Housing with AUTO Lock

i When ordering a cabinet with **CODE Lock**, please add the suffix "C" or for **RFID** or **AUTO Lock** the suffix "F" or "A" to the article number from the table (e.g. **71.088.XXX.C**).

» Other locking systems: see p. 28–31

LISTA Units		Depth 27 E			
		18 × 27 E	27 × 27 E	36 × 27 E	54 × 27 E
Cabinet floor area mm		411 × 572 mm	564 × 572 mm	717 × 572 mm	1023 × 572 mm
W → × D ↗					
H ↑	Clear Height mm	Art. no.	Art. no.	Art. no.	Art. no.
283	200	71.059.XXX	71.070.XXX	-	-
383	300	71.060.XXX	71.071.XXX	-	-
533	450	71.061.XXX	71.072.XXX	-	-
650	550	71.062.XXX	71.073.XXX	○	○
700	600	71.063.XXX	71.074.XXX	71.086.XXX	71.102.XXX
800	700	○	71.075.XXX	○	○
850	750	71.401.XXX	71.076.XXX	71.087.XXX	71.103.XXX
1000	900	71.064.XXX	71.077.XXX	71.088.XXX	71.104.XXX
1150	1050	○	○	○	○
1325	1225	○	○	○	○
1450	1350	○	○	71.089.XXX	71.105.XXX
1625	1525	○	○	○	○

○ = on request

2. Drawers

Drawers with different front heights can be incorporated into the same cabinet housing in any order. The insides of the drawer walls are all fitted with a slotted grid in units (E) of 17 mm, which means each drawer can be partitioned as required.



Select load capacity

Drawer safety catches


Standard: standard model including single drawer safety catch (all article numbers from the table).

Safety catch on right: the minimum requirement for mobile drawer cabinets. One-sided drawer safety catch on the right can be released with one hand and prevents accidental opening of drawers even if the cabinet is unlocked.

i When ordering a **single safety catch on the right**, please add the suffix "R" to the article number in the table (e.g. **72.034.XXX.R**).

Ordering tips

When selecting drawers, the clear height of the cabinet housing defines the size. The sum of the drawer front heights (C) must be equal to the clear height (B) (see diagram).



LISTA Units		Depth 27 E			
		18 × 27 E	27 × 27 E	36 × 27 E	54 × 27 E
75 kg Load capacity		306 × 459 mm	459 × 459 mm	612 × 459 mm	918 × 459 mm
W → × D ↗					
H ↑	Usable height mm / Shell height mm	Art. no.	Art. no.	Art. no.	Art. no.
50*	32,5 / 28,5	72.000.XXX	72.012.XXX	72.042.XXX	72.080.XXX
75	57,5 / 49	72.001.XXX	72.013.XXX	72.043.XXX	72.505.XXX
100	82,5 / 76	72.002.XXX	72.015.XXX	72.045.XXX	72.506.XXX
125	107,5 / 76	-	72.017.XXX	72.047.XXX	72.507.XXX
150	132,5 / 126	72.003.XXX	72.019.XXX	72.049.XXX	72.508.XXX
200	182,5 / 176	72.004.XXX	72.021.XXX	72.051.XXX	72.509.XXX
250	232,5 / 226	-	72.023.XXX	72.053.XXX	-
300	282,5 / 276	72.005.XXX	72.025.XXX	72.055.XXX	-

* Drawers with a front height of 50 mm must be placed in the top position

		200 kg Load capacity			
75	57,5 / 49	-	72.014.XXX	72.044.XXX	72.081.XXX
100	82,5 / 76	-	72.016.XXX	72.046.XXX	72.082.XXX
125	107,5 / 76	-	72.018.XXX	72.048.XXX	72.083.XXX
150	132,5 / 126	-	72.020.XXX	72.050.XXX	72.084.XXX
200	182,5 / 176	-	72.022.XXX	72.052.XXX	72.085.XXX
250	232,5 / 226	-	72.024.XXX	72.054.XXX	72.086.XXX
300	282,5 / 276	-	72.026.XXX	72.056.XXX	72.087.XXX

3. For further accessories

» see next page

4. Partition material

for drawers


» see p. 248

Depth 36 E

18 × 36 E	27 × 36 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
411 × 725 mm	564 × 725 mm	717 × 725 mm	870 × 725 mm	1023 × 725 mm	1193 × 725 mm	1431 × 725 mm
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
71.065.XXX	71.078.XXX	-	-	-	-	-
71.066.XXX	71.079.XXX	-	-	-	-	-
71.067.XXX	71.080.XXX	-	-	-	-	-
71.068.XXX	71.081.XXX	○	○	○	○	○
71.069.XXX	71.082.XXX	71.090.XXX	71.098.XXX	71.106.XXX	71.110.XXX	71.114.XXX
○	71.083.XXX	71.091.XXX	○	○	○	○
71.407.XXX	71.084.XXX	71.092.XXX	71.099.XXX	71.107.XXX	71.416.XXX	71.421.XXX
71.408.XXX	71.085.XXX	71.093.XXX	71.100.XXX	71.108.XXX	71.111.XXX	71.115.XXX
○	○	71.094.XXX	○	○	○	○
○	○	71.095.XXX	○	○	71.112.XXX	71.116.XXX
○	○	71.096.XXX	71.101.XXX	71.109.XXX	71.113.XXX	71.117.XXX
○	○	71.097.XXX	○	○	○	○

18 × 36 E	27 × 36 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
306 × 612 mm	459 × 612 mm	612 × 612 mm	765 × 612 mm	918 × 612 mm	1088 × 612 mm	1326 × 612 mm
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
72.006.XXX	72.027.XXX	72.057.XXX	72.072.XXX	72.088.XXX	72.805.XXX	72.806.XXX
72.007.XXX	72.028.XXX	72.058.XXX	72.540.XXX	72.510.XXX	72.515.XXX	72.517.XXX
72.008.XXX	72.030.XXX	72.060.XXX	72.541.XXX	72.511.XXX	72.516.XXX	72.518.XXX
-	72.032.XXX	72.062.XXX	72.542.XXX	72.512.XXX	-	-
72.009.XXX	72.034.XXX	72.064.XXX	72.543.XXX	72.513.XXX	-	-
72.010.XXX	72.036.XXX	72.066.XXX	72.544.XXX	72.514.XXX	-	-
-	72.038.XXX	72.068.XXX	-	-	-	-
72.011.XXX	72.040.XXX	72.070.XXX	-	-	-	-
-	72.029.XXX	72.059.XXX	72.073.XXX	72.089.XXX	72.096.XXX	72.103.XXX
-	72.031.XXX	72.061.XXX	72.074.XXX	72.090.XXX	72.097.XXX	72.104.XXX
-	72.033.XXX	72.063.XXX	72.075.XXX	72.091.XXX	72.098.XXX	72.105.XXX
-	72.035.XXX	72.065.XXX	72.076.XXX	72.092.XXX	72.099.XXX	72.106.XXX
-	72.037.XXX	72.067.XXX	72.077.XXX	72.093.XXX	72.100.XXX	72.107.XXX
-	72.039.XXX	72.069.XXX	72.078.XXX	72.094.XXX	72.101.XXX	72.108.XXX
-	72.041.XXX	72.071.XXX	72.079.XXX	72.095.XXX	72.102.XXX	72.109.XXX





Recessed hinged doors for pull-out and adjustable shelves

Made from sheet steel as a front closing option for the pull-out and adjustable shelves built into the housing beneath the drawers. Equipped with a recessed grip and magnetic catch incl. KEY Lock. The sum of the hinged door front heights and all drawer front heights must be equal to the clear height of the cabinet housing.



Pull-out and adjustable shelves for recessed doors

Made from steel sheet, pigeon grey, NCS S 4502-B. Load capacity of pull-out shelf 75 kg, adjustable shelf 200 kg. Thanks to the 25 mm increments in the vertical supports of the cabinet housings, different shelves can be fitted in the same housing in any order.



Raised edges on 3 sides and ribbed mat

Made from sheet steel, black, NCS S 9000-N, including ribbed mat, black.



Cover panel, resin-coated

Surface and edging light grey, NCS S 1500-N, laminated chipboard (quality class E1), with melamine coating on both sides (manufactured according to standard EN 14322). 2 mm thick plastic edging on all sides. Including pre-drilled holes and fastening material.



Multiplex cover panel

Made of steamed beech veneers, glued in multiple layers and waterproof (DIN 68 705), bevelled edges, sanded, oiled and waxed surface. The panel is splash-proof, dirt-repellent and largely impervious to oil and grease. Including pre-drilled holes and fastening material.



Folding countertop

Attaches to the side of the drawer cabinet (depth 27E). It can be mounted either on one side or on both drawer cabinet edges and offers a work surface up to 1000 mm (2 x 500 mm) wider. It is operated one-handed. Multiplex top, sanded, oiled and waxed surface. Load capacity 25 kg, Housing incl. 10 x 10 square perforation, 38 mm divisions with slots, for cabinet height 850 mm.



Push bar

This push bar can be mounted for the mobile version of drawer cabinets without raised edges in the transverse direction of travel. Galvanised steel, Ø 22 mm, curved.

Depth 27 E

LISTA Units

18 x 27 E

27 x 27 E

Hinged doors, recessed*

	Art. no.	Art. no.
Mounted on the right H 450 mm	74.110.XXX	74.112.XXX
Mounted on the right H 600 mm	74.111.XXX	74.113.XXX
Mounted on the right H 750 mm	340.166.XXX	338.736.XXX
Mounted on the left H 450 mm	74.122.XXX	74.126.XXX
Mounted on the left H 600 mm	74.123.XXX	74.127.XXX
Mounted on the left H 750 mm	340.999.XXX	338.737.XXX
+ cylinders with different keys	222.376.000	

* without cylinder; please order this separately

Adjustable shelf, H 75 mm

	74.005.000	74.009.000
Usable dimensions (W x D mm)	350 x 465	503 x 465

Pull-out shelf, H 100 mm

	74.004.000	74.008.000
Usable dimensions (W x D mm)	281 x 459	434 x 459

Raised edge with ribbed mat

	74.023.000	74.025.000
Dimensions (W x D x H mm)	411 x 572 x 20	564 x 572 x 20

Ribbed mat only

	74.012.000	74.014.000
Dimensions (W x D x H mm)	406 x 567 x 3	559 x 567 x 3

Resin-coated cover panel

	74.140.000	17.268.000
Dimensions (W x D x H mm)	411 x 572 x 22	564 x 572 x 22

Multiplex cover panel

	12.590.000	12.592.000
Dimensions (W x D x H mm)	411 x 572 x 20	564 x 572 x 20

Folding countertop

	69.555.XXX	69.555.XXX
Dimensions for folded module	86 x 571 x 880	86 x 571 x 880
Dimensions of top (W x D x H mm)	500 x 565 x 20	500 x 565 x 20

Push bar


	-	12.610.000
Width mm		399

*depending on the properties of the floor.

www.lista.com

Depth 27 E		Depth 36 E						
36 × 27 E	54 × 27 E	18 × 36 E	27 × 36 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
Art. no. 74.128.XXX	Art. no. -	Art. no. 74.110.XXX	Art. no. 74.112.XXX	Art. no. 74.128.XXX	Art. no. -	Art. no. -	Art. no. -	Art. no. -
74.129.XXX	-	74.111.XXX	74.113.XXX	74.129.XXX	-	-	-	-
338.735.XXX	-	340.166.XXX	338.736.XXX	338.735.XXX	-	-	-	-
74.130.XXX	-	74.122.XXX	74.126.XXX	74.130.XXX	-	-	-	-
74.131.XXX	-	74.123.XXX	74.127.XXX	74.131.XXX	-	-	-	-
340.048.XXX	-	340.999.XXX	338.737.XXX	340.048.XXX	-	-	-	-
222.376.000	-		222.376.000		-	-	-	-
74.105.000 656 × 465	-	74.007.000 350 × 618	74.011.000 503 × 618	74.106.000 656 × 618	-	-	-	-
-	-	74.006.000 281 × 612	74.010.000 434 × 612	342.371.080 587 × 612	-	-	-	-
74.027.000 717 × 572 × 20	74.030.000 1023 × 572 × 20	74.024.000 411 × 725 × 20	74.026.000 564 × 725 × 20	74.028.000 717 × 725 × 20	74.029.000 870 × 725 × 20	74.031.000 1023 × 725 × 20	74.032.000 1193 × 725 × 20	74.033.000 1431 × 725 × 20
74.016.000 712 × 567 × 3	74.019.000 1018 × 567 × 3	74.013.000 406 × 720 × 3	74.015.000 559 × 720 × 3	74.017.000 712 × 720 × 3	74.018.000 865 × 720 × 3	74.020.000 1018 × 720 × 3	74.021.000 1188 × 720 × 3	74.022.000 1426 × 720 × 3
17.270.000 717 × 572 × 22	74.143.000 1023 × 572 × 22	74.141.000 411 × 725 × 22	17.269.000 564 × 725 × 22	17.271.000 717 × 725 × 22	74.142.000 870 × 725 × 22	74.144.000 1023 × 725 × 22	74.145.000 1193 × 725 × 22	74.146.000 1431 × 725 × 22
12.594.000 717 × 572 × 20	12.597.000 1023 × 572 × 20	12.591.000 411 × 725 × 20	12.593.000 564 × 725 × 20	12.595.000 717 × 725 × 20	12.596.000 870 × 725 × 20	12.598.000 1023 × 725 × 20	12.599.000 1193 × 725 × 20	12.600.000 1431 × 725 × 20
69.555.XXX 86 × 571 × 880 500 × 565 × 20	69.555.XXX 86 × 571 × 880 500 × 565 × 20	-	-	-	-	-	-	-
12.610.000 399	12.610.000 399	12.611.000 552	12.611.000 552	12.611.000 552	12.611.000 552	12.611.000 552	12.611.000 552	12.611.000 552





Perforated side panel

To allow accessories (waste container, protective earth socket retaining bracket) or keyhole hooks to be attached to the side of the drawer cabinet (depth 27 E), this perforated plate can be fastened to the side of the housing cabinet. Square perforation 10 × 10, 38 mm divisions with slots. Design for housing height 850 mm. Sheet steel design. Colour: as per colour chart.



Housing base

Made from sheet steel, as height compensation, black, NCS S 9000-N.



2-way pallet/forklift truck base

Made from sheet steel for screwing to the underside of the housing, black, NCS S 9000-N. **Base cover only** for attaching as a cover on the front or rear.



Raised edges on 4 sides, with push-bar


Made from sheet steel, black, NCS S 9000-N, including ribbed mat, black. Push-bar consisting of a pair of plastic handle grips, RAL 9006 white aluminium, and aluminium tube Ø 25 mm, clear anodised.



Pair of castor holders


Consisting of 2 swivel castors with brakes and 2 fixed castors. Castor holders, sendzimir galvanised. Nylon castors black, rubber castors grey.

! For safety reasons, mobile drawer cabinets must be fitted with a push-bar and a single drawer safety catch.



Protective strip

Made of black polythene, including fastening screws for mounting on the sides of the drawer cabinet. Two protective strips must be attached to each side.



Levelling foot set

Set consisting of 4 plastic pivot feet, Ø 50 mm, including mounting plates and fastening screws. Adjustment range: 45 – 90 mm. Load capacity: 1200 kg/foot. Art. no. **69.919.000**



Levelling foot set for cover plates

Set consisting of 2 pairs of levelling feet (4 plastic articulated feet), Ø 50 mm, mounting plates designed for the levelling foot holder, incl. fastening screws. Adjustment range 45–90 mm. Load capacity 1200 kg/foot



Levelling foot covers

made of sheet steel, powder-coated white aluminium RAL 9006. Cover plate height 50 mm. Prevents small parts from getting under the cabinet. Closed look. The levelling foot set (69.920.000 or 69.921.000) is required for assembly. Cover plate can also be retrofitted afterwards.

LISTA Units	Depth 27 E	
	18 × 27 E	27 × 27 E
Perforated side panel	Art. no.	Art. no.
Perforated side panel	-	69.552.000
Dimensions (H × D mm)		755 × 570
Housing base, H 50 mm	74.045.000	74.049.000
Dimensions (W × D mm)	411 × 540	564 × 540
Housing base, H 100 mm	74.046.000	74.050.000
Dimensions (W × D mm)	411 × 540	564 × 540
Base, without cover, H 100 mm	-	-
Dimensions (W × D mm)		
Cover only, H 100 mm	-	-
Raised edge, H 53 mm	74.034.000	74.036.000
Dimensions (W × D mm)	411 × 572	564 × 572
Direction of travel	lengthwise	lengthwise
with nylon castors*, Ø 100 mm	74.071.000	74.071.000
H/Load capacity kg	137/400	137/400
Direction of travel	lengthwise	lengthwise
with rubber castors* Ø 100 mm	74.072.000	74.072.000
H/Load capacity kg	137/400	137/400
Direction of travel	lengthwise	lengthwise
with rubber castors*, Ø 160 mm	-	74.075.000
H/Load capacity kg		204/600
Direction of travel		lengthwise
Protective strip	333.888.000	
Length (mm)	567	
i Note:	Can only be used in combination with housings with a height of 700 mm.	
Levelling foot set for cover plates	69.920.000	
Side cover plates	69.847.130	
Front cover plates	69.840.130	69.841.130

Depth 27 E			Depth 36 E						
36 × 27 E		54 × 27 E	18 × 36 E	27 × 36 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
69.552.000 755 × 570	-	69.552.000 755 × 570	-	-	-	-	-	-	-
74.053.000 717 × 540	-	74.057.000 1023 × 540	74.047.000 411 × 693	74.051.000 564 × 693	74.055.000 717 × 693	74.056.000 870 × 693	74.058.000 1023 × 693	74.059.000 1193 × 693	74.060.000 1431 × 693
74.054.000 717 × 540	-	-	74.048.000 411 × 693	74.052.000 564 × 693	-	-	-	-	-
74.061.000 717 × 506	-	74.064.000 1023 × 506	-	74.410.000 564 × 659	74.062.000 717 × 659	74.063.000 870 × 659	74.065.000 1023 × 659	74.065.000 1193 × 659	74.065.000 1431 × 659
74.066.000	-	74.068.000	-	74.411.000	74.066.000	74.067.000	74.068.000	74.069.000	74.070.000
74.038.000 717 × 572 crosswise	74.158.000 717 × 572 lengthwise	74.041.000 1023 × 572 crosswise	74.035.000 411 × 725 lengthwise	74.037.000 564 × 725 lengthwise	74.039.000 717 × 725 lengthwise	74.040.000 870 × 725 crosswise	74.042.000 1023 × 725 crosswise	74.043.000 1193 × 725 crosswise	74.044.000 1431 × 725 crosswise
74.077.000 137/400 crosswise	74.071.000 137/400 lengthwise	74.077.000 137/400 crosswise	74.073.000 137/400 lengthwise	74.073.000 137/400 lengthwise	74.073.000 137/400 lengthwise	74.080.000 137/400 crosswise	74.080.000 137/400 crosswise	74.080.000 137/400 crosswise	74.080.000 137/400 crosswise
74.078.000 137/400 crosswise	74.072.000 137/400 lengthwise	74.078.000 137/400 crosswise	74.074.000 137/400 lengthwise	74.074.000 137/400 lengthwise	74.074.000 137/400 lengthwise	74.081.000 137/400 crosswise	74.081.000 137/400 crosswise	74.081.000 137/400 crosswise	74.081.000 137/400 crosswise
74.079.000 204/600 crosswise	74.075.000 204/600 lengthwise	74.079.000 204/600 crosswise	-	74.076.000 204/600 lengthwise	74.076.000 204/600 lengthwise	74.082.000 204/600 crosswise	74.082.000 204/600 crosswise	74.082.000 204/600 crosswise	74.082.000 204/600 crosswise
	333.888.000 567					323.434.000 720			
	69.920.000					69.921.000			
	69.847.130					69.848.130			
69.842.130	69.844.130	69.840.130	69.841.130	69.842.130	69.843.130	69.844.130	69.845.130	69.846.130	69.846.130



Drawer cabinets with a power supply are perfect for the centralised supply of rechargeable batteries and electrical devices. All cabinets can be configured individually and adapted to your specific storage needs through the flexible use of partition material, cabinet accessories and power supply via power modules.

+ Flexible range of applications
with charging options for battery-operated electrical machines, BDE devices, notebooks, tablets and smartphones

+ Perfect cable management
via cable openings (punch-outs) for protected and orderly cable routing

+ Great design diversity
with sockets, on/off switch, power USB

+ Outstanding safety features
CE compliant

>> General benefits of LISTA drawer cabinets
see p.38/39



1. Cabinet housing

Housing incl. punch-outs for power supply, incl. cable harness, excl. connection cable with earthing (must be ordered separately according to the lower version). For simultaneous securing of all drawers. Incl. KEY Lock, our standard locking system with replaceable cylinders. Manual opening/locking with key.



i When ordering a cabinet with **CODE Lock**, please add the suffix "C" or for **RFID** or **AUTO Lock** the suffix "F" or "A" to the article number from the table (e.g. 74.915.XXX.C).

» Other locking systems: see p. 28–31


LISTA Units		36 × 27 E		36 × 36 E	
Cabinet floor area mm					
W → × D ↗		717 × 572 mm		717 × 725 mm	
H ↑ mm	Clear Height mm	Art. no.	Art. no.	Art. no.	Art. no.
700	600	74.913.XXX	74.917.XXX	74.918.XXX	74.919.XXX
800	700	-	-	74.918.XXX	74.919.XXX
850	750	74.914.XXX	74.914.XXX	74.919.XXX	74.919.XXX
1000	900	74.915.XXX	74.915.XXX	74.920.XXX	74.920.XXX
1150	1050	-	-	74.921.XXX	74.921.XXX
1325	1225	-	-	74.922.XXX	74.922.XXX
1450	1350	74.916.XXX	74.916.XXX	74.923.XXX	74.923.XXX
1625	1525	-	-	74.924.XXX	74.924.XXX
» Cabinet accessories, see from page 62		» Partition material see from page 248			

2. Drawers

Drawers with different front heights can be incorporated into the same cabinet housing in any order. The insides of the drawer walls are all fitted with a slotted grid in units (E) of 17 mm, which means each drawer can be partitioned as required.

Ordering tips

When selecting drawers, the clear height of the cabinet housing defines the size. The sum of the drawer front heights (C) must be equal to the clear height (B) (see diagram).



* Drawers with front height of 50 mm must be placed in the top position.



! Max. 3 drawers with power supply per cabinet.

LISTA Units		36 × 27 E		36 × 36 E	
Drawer usable surface mm					
W → × D ↗		612 × 459 mm		612 × 612 mm	
H ↑ mm	Usable height mm	Shell height mm	Art. no.	Art. no.	Art. no.
50	32,5	28,5	72.042.XXX	-	72.057.XXX
75	57,5	49	72.043.XXX	72.044.XXX	72.058.XXX
100	82,5	76	72.045.XXX	72.046.XXX	72.060.XXX
125	107,5	76	72.047.XXX	72.048.XXX	72.062.XXX
150	132,5	126	72.049.XXX	72.050.XXX	72.064.XXX
200	182,5	176	72.051.XXX	72.052.XXX	72.066.XXX
250	232,5	226	72.053.XXX	72.054.XXX	72.068.XXX
300	282,5	276	72.055.XXX	72.056.XXX	72.070.XXX
'Standard' drawers without power supply					
50*	32,5	28,5	72.042.XXX	-	72.057.XXX
75	57,5	49	72.043.XXX	72.044.XXX	72.058.XXX
100	82,5	76	72.045.XXX	72.046.XXX	72.060.XXX
125	107,5	76	72.047.XXX	72.048.XXX	72.062.XXX
150	132,5	126	72.049.XXX	72.050.XXX	72.064.XXX
200	182,5	176	72.051.XXX	72.052.XXX	72.066.XXX
250	232,5	226	72.053.XXX	72.054.XXX	72.068.XXX
300	282,5	276	72.055.XXX	72.056.XXX	72.070.XXX
Drawers with power supply					
With hole cut-out for the assembly of 1 × power module, incl. cable guide, excl. connection cable (must be ordered separately according to the lower version).					
200	182,5	176	74.973.XXX	74.820.XXX	74.976.XXX
250	232,5	226	74.974.XXX	74.821.XXX	74.977.XXX
300	282,5	276	74.975.XXX	74.822.XXX	74.978.XXX
Power modules					
1	Art. no. D/PE	Art. no. CH	Art. no. F	Art. no. GB	
1	89.535.000	-	89.536.000	89.537.000	
2	-	89.595.000	-	-	
3	89.531.000	-	89.532.000	89.533.000	
4	89.385.000	89.389.000	89.386.000	89.387.000	
Connecting cable					
Incl. earthing*, length 3 m.			74.912.000	74.937.000	74.912.000
			74.912.000	74.937.000	74.912.000

3. Power supply

Power modules for drawers with power supply



Power modules	Art. no. D/PE	Art. no. CH	Art. no. F	Art. no. GB
1	89.535.000	-	89.536.000	89.537.000
2	-	89.595.000	-	-
3	89.531.000	-	89.532.000	89.533.000
4	89.385.000	89.389.000	89.386.000	89.387.000
Connecting cable				
Incl. earthing*, length 3 m.			74.912.000	74.937.000
			74.912.000	74.937.000



Bespoke workshop design to suit your line of work. Workshop equipment from LISTA has been tried and tested thousands of times in diverse industries. The modular design and excellent quality ensure that LISTA applications fit perfectly, are durable and robust. Special industry requirements are consistently met.

+ Modular system design concept
offering flexible configuration in terms of size, equipment, locks, colour, etc.


+ Best industrial quality
by using high-quality materials with a high level of in-house production and a 10-year guarantee

+ Fully compatible
with freely combinable modules, uniform and attractive look and feel consistent with your corporate design in all areas: workshop, warehouse, staff room, etc.

+ EDGE design
More contouring for your workshop with an individual light signature

>> Benefits of LISTA workshop add-on modules
see automotive workshop system brochure

Typical vehicle workshop solutions



- CZ1** Accessible hinged-door cabinet
- C2** Disposal cabinet
- C3** Mobile drawer cabinet*
- C4** Stationary drawer cabinet*
- CC5** Media supply cabinet Compact
- CT5** Media supply tower
- S1** Perforated rear panel*
- S2** Countertop*
- S3** Power conduit*
- W1** Monitor overhead cabinet*
- W2** Overhead cabinet*
- W3** Roller shutter overhead cabinet

*See relevant chapter

MRO solution I

Focused and flexible

Module combination

CC5 **CZ1** **C2** **S2** **S3**

W → 2000 mm
D ↗ 800 mm
H ↑ 1100 mm



MRO solution II

Ideal for a compact workshop solution

Module combination

CC5 **C3** **C4** **C2** **S1** **S2** **S3**

W → 2360 mm
D ↗ 860 mm
H ↑ 1650 mm



MRO solution III

Conceived for ambitious use

Module combination

C5 **CZ1** **C2** **C3** **C4** **S1** **S2** **S3** **W1** **W3**

W → 3445 mm
D ↗ 860 mm
H ↑ 1950 mm



MRO solution IV

No compromises on function or ergonomics

Module combination

C2 **CZ1** **C3** **C4** **CC5** **CT5** **S1** **S2** **S3** **W1** **W2** **W3**

W → 4720 mm
D ↗ 860 mm
H ↑ 2000 mm





64 × 27 E

W → 1193 mm

D ↗ 572 mm



H ↑

1090¹ Toolbox mobile

Number of drawers mm

64 E: 2 × 100

36 E: 2 × 150, 1 × 200

18 E: 2 × 150, 2 × 100

Folding countertop

Multiplex cover panel, 30 mm

Perforated side panel

Perforated rear panel (usable height 360 mm)

Rubber castors, Ø 160 mm, incl. push handle



75



KEY Lock

Art. no.

69.561.XXX

64 × 36 E

W → 1193 mm

D ↗ 725 mm



H ↑

870 Toolbox stationary

Number of drawers mm

64 E: 1 × 200

36 E: 2 × 150, 1 × 200

18 E: 2 × 150, 2 × 100

Multiplex cover panel, 20 mm



200



KEY Lock

Art. no.

69.562.XXX

¹ Height without perforated rear panel

D **725 mm**
H **850 mm** (without Levelling feet)


C1 Hinged door cabinet
1 adjustable shelf
Levelling foot set for cover plates (4 × feet)

Doors mounted		LISTA unit	Art. No.
right	411 mm	18 × 36 E	69.941.XXX
left	411 mm	18 × 36 E	69.942.XXX
right	564 mm	27 × 36 E	69.943.XXX
left	564 mm	27 × 36 E	69.944.XXX
right	717 mm	36 × 36 E	69.945.XXX
left	717 mm	36 × 36 E	69.946.XXX
right	717 mm	36 × 36 E	69.903.XXX
left	717 mm	36 × 36 E	69.902.XXX

CZ1 Hinged door cabinet accessible
without floor, without threshold, levelling foot set for panels (4 × feet)



C2 Disposal cabinet
Levelling foot set for cover plates (4 × feet)
Pull-out drawer: completely powder-coated according to colour chart
Load capacity: 200 kg

Capacity		LISTA unit	Art. No.
1 × 60 l	411 mm	18 × 36 E	69.937.XXX
2 × 60 l	564 mm	27 × 36 E	69.938.XXX
4 × 60 l	1023 mm	54 × 36 E	69.939.XXX



C5 Media supply cabinet
1 galvanised** drip tray
Levelling foot set for cover plates (4 × feet)

Hose port	Cut-outs for modules	400V socket*		LISTA unit	Art. No.
1	–	–	411 mm	18 × 36 E	69.930.XXX
2	–	–	411 mm	18 × 36 E	69.931.XXX
2	–	–	564 mm	27 × 36 E	69.932.XXX
3	–	–	717 mm	36 × 36 E	69.933.XXX
4	–	–	1023 mm	54 × 36 E	69.934.XXX
5	–	–	1193 mm	64 × 36 E	69.935.XXX
2	2	–	411 mm	18 × 36 E	69.990.XXX
2	2	available	411 mm	18 × 36 E	69.991.XXX
2	2	–	564 mm	27 × 36 E	69.992.XXX
2	2	available	564 mm	27 × 36 E	69.993.XXX
2 × 3	–	–	1023 mm	54 × 36 E	69.898.XXX
2 × 4	–	–	1023 mm	54 × 36 E	69.925.XXX

CC5 Media supply cabinet Compact
Hose gates in combination with energy modules
Order option: additionally incl. 400V socket
Levelling foot set for cover plates (4 × feet)



CT5 Media supply tower (height 2000 mm)
2 galvanised drip trays**
Levelling foot set for cover plates (4 × feet)
Overhead cabinet panels can be used on request for individual control unit

*The electrical connection must be installed by the customer.

**Galvanisation cannot provide complete protection against all liquids.



C6 Power module cabinet
Version 1
1 × switch/socket outlet 230 V***, 2 × 2 socket outlets 230 V,
2 × 2 network sockets RJ45, Levelling foot set for cover plates (4 × feet)

Type		LISTA unit	Art. No.
CH	411 mm	18 × 36 E	69.910.XXX
D / PE	411 mm	18 × 36 E	69.912.XXX
F	411 mm	18 × 36 E	69.914.XXX
GB	411 mm	18 × 36 E	69.916.XXX
CH	411 mm	18 × 36 E	69.911.XXX
D / PE	411 mm	18 × 36 E	69.913.XXX
F	411 mm	18 × 36 E	69.915.XXX
GB	411 mm	18 × 36 E	69.917.XXX

Version 2
1 × switch/socket outlet 230 V***, 2 × 2 socket outlets 230 V,
2 × compressed-air connections DN7 (inlet: push-on nipple: DN5; outlet: quick-release coupling DN5), Levelling foot set for cover plates (4 × feet)

*** CH version: 1 × surge protection instead of socket outlet 230 V.

D **250 mm**


W6 Roller shutter cabinet
Aluminium roller shutter, self-locking spring-loaded winding.
High usable depth: 215 mm, punch-outs for power supply.
Incl. integrated perforated rear panel with 10 × 10 square perforation and 38 mm partitioning. Standard locking, KEY Lock.
Optionally with integrated cable conduit and adjustable shelves (see page 186)

Housing base			Art. No.
yes	1500 mm	800 mm	69.850.XXX
yes	2000 mm	800 mm	69.851.XXX
no*	1500 mm	1050 mm	69.852.XXX
no*	2000 mm	1050 mm	69.853.XXX

* For mounting on worktops.



Toolbox

Folding countertop

Integrated folding countertop module, single-handed operation. Load capacity: 25 kg. Multiplex top: 564 × 500 × 20 mm. Designed for drawer cabinet depth 27 E and drawer cabinet height 850 mm. See page 73.

Perforated rear panel for Toolbox 64 E

Self-supporting perforated rear panel module, direct mounting on the drawer cabinet. Square perforation, 10 × 10 mm, 38 mm divisions with slots for holding accessories, usable height 360 mm. Colour as per colour chart. W × H: 1193 × 550 mm See page 73.

Countertop

This multiplex worktop has been specially adapted to the 64 × 27 E drawer cabinet to ensure a flush transition to the folding countertop Multiplex top: 30 mm (W × D: 1193 × 572 mm).



Cabinet toolbox 6427E/3 and 6436E/3

The toolbox system for dimensions 64 × 36 E and 64 × 27 E (H: 850 mm) offers the flexible option of accommodating combined drawers in the dimensions 64, 36 and 18 E. See page 73. There are also various accessories that allow the cabinet to be individually configured as a small mobile workstation.

Perforated side panel

Integrated perforated side rear panel module with 10 × 10 mm square perforation, 38 mm divisions with slots for holding accessories. Designed for drawer cabinet depth 27 E and drawer cabinet height 850 mm H × D: 755 × 570 mm. Sheet steel design. Colour as per colour chart.

1. Cabinet housing with locking systems

To have simultaneous locking of all drawers, each cabinet housing can be configured individually using the KEY Lock system.



Housing with KEY Lock

2. Drawers

Drawers with different front heights can be incorporated into the same cabinet housing in any order. The insides of the drawer walls are all fitted with a slotted grid in units (E) of 17 mm, which means each drawer can be partitioned as required.




Drawer safety catches

Safety catch on right: the minimum requirement for mobile drawer cabinets. One-sided drawer safety catch on the right can be released with one hand and prevents accidental opening of drawers even if the cabinet is unlocked.

i When ordering a **single safety catch on the right**, please add the suffix **"R"** to the article number in the table (e.g. **72.034.XXX.R**).

Ordering tips

When selecting drawers, the clear height of the cabinet housing defines the maximum size. The sum of the drawer front heights (C1 + C2) must correspond to the clear height (B1: 200 mm + B2: 500 mm), see diagram.



For further drawers, see p. 60/61

LISTA Units



Cabinet floor area

W → × D ↗ mm

H ↑ mm
850
Clear height mm
700
(B1 200 + B2 500)

Depth 27 E

64 × 27 E




1193 × 572

Art. no.
69.550.XXX

Depth 36 E

64 × 36 E



1193 × 725

Art. no.
69.551.XXX

LISTA Units



75 kg

Load capacity

Drawer usable surface

W → × D ↗ mm

H ↑ mm
50* Usable height 32,5
Shell height 28,5

18 × 27 E


36 × 27 E

64 × 27 E

18 × 36 E

36 × 36 E

64 × 36 E



306 × 459

612 × 459

1088 × 459

306 × 612

612 × 612

1088 × 612

Art. no. Art. no. Art. no. Art. no. Art. no. Art. no.

72.000.XXX 72.042.XXX - 72.006.XXX 72.057.XXX 72.805.XXX

75 57,5 49 72.001.XXX 72.043.XXX - 72.007.XXX 72.058.XXX 72.515.XXX

100 82,5 76 72.002.XXX 72.045.XXX 72.800.XXX 72.008.XXX 72.060.XXX 72.097.XXX**

125 107,5 76 - 72.047.XXX - - 72.062.XXX 72.098.XXX**

150 132,5 126 72.003.XXX 72.049.XXX - 72.009.XXX 72.064.XXX 72.099.XXX**

200 182,5 176 72.004.XXX 72.051.XXX 72.801.XXX 72.010.XXX 72.066.XXX 72.100.XXX**

250 232,5 226 - 72.053.XXX - - 72.068.XXX -


300 282,5 276 72.005.XXX 72.055.XXX - 72.011.XXX 72.070.XXX -

* Drawers with front height of 50 mm must be placed in the top position.

** Load capacity 200 kg: For alternative drawer design, see page 60/61

3. Accessories for Toolbox 64 × 27 E

Accessories for the individual configuration of the 64 × 27 E toolbox



Model

Folding countertop

Multiplex top: 20 mm. Plate size (W × H): 500 × 565 mm.
Max. load capacity: 25 kg. Single-handed operation, Square perforation 10 × 10, suitable for cabinet height 850 mm

Dimensions (mm)

Folded
86 × 571 × 880 mm
(W × D × H)

Art. no.

69.555.XXX

Perforated side panel

Square perforation 10 × 10, 38 mm divisions with slots.
Design for cabinet housing height 850 mm

755 × 570 mm
(H × D)

69.552.XXX

Countertop / cover plate

Multiplex 30 mm

1193 × 572 mm
(W × D)

69.560.000

Perforated rear panel

Square perforation 10 × 10, 38 mm divisions with slots.
Usable height: 360 mm

1193 × 550 mm
(W × H)

69.553.XXX

Push bar

Inc. fastening material for side casing assembly. Galvanised steel.
Pipe Ø: 22 mm.

Width: 399 mm

12.610.000

Pair of castor supports

with rubber castors, 2 swivel castors with brakes and 2 fixed castors. Load capacity: 600 kg.
Direction of travel: Transverse.

Ø 160 mm
Height: 204 mm

74.079.000

4. Partition material

for drawers

see p. 248



Drawer cabinets | with hinged or sliding doors

LISTA drawer cabinets with hinged or sliding doors are ideal for large and heavy inventory items. The doors enable tall items to be safely locked away and protected from dirt, damage and unauthorised access. The flexible inner partitioning options and a variety of locking systems ensure that you have the best solution for your needs – all with lots of clever details and a 10-year guarantee. Just as you would expect from LISTA.

+ **Additional storage space and work surfaces**
through non-slip, easy-to-clean covers with raised edges all round

>> **Benefits of LISTA drawer cabinets**
see p. 38/39

>> **Drawer cabinets with hinged or sliding doors for NC storage**
see p. 76/77 and 100



+ Ideal for large and heavy inventory items up to 200 kg / drawer

with pull-out shelves for flush storage

+ Securely lockable

with a choice of hinged doors or space-saving sliding doors

+ Can be adapted to new storage items at any time

because drawers, pull-out shelves and adjustable shelves can be flexibly added or modified in 25 mm increments

+ Can easily be moved with a forklift truck

even with loaded cabinets, by using forklift truck bases

Drawer cabinets I with hinged or sliding doors



Art. no. **79.432.512**
Housing: Light grey, RAL 7035
Fronts: Ruby red, RAL 3003



36 × 27 E

W → 717 mm

D ↗ 600 mm

612 × 459 mm



H mm	Drawers mm	Pull-out shelves	kg	Lock	Art. no.
1020	1 × 75	2	75	KEY Lock	79.400.XXX
1020	1 × 75	2	200	KEY Lock	79.402.XXX
1020	2 × 75	1	75	KEY Lock	79.404.XXX
1020	2 × 75	1	200	KEY Lock	79.406.XXX
1020	3 × 75	1	75	KEY Lock	79.408.XXX
1020	3 × 75	1	200	KEY Lock	79.410.XXX
1020	3 × 75	2	75	KEY Lock	79.412.XXX
1020	3 × 75	2	200	KEY Lock	79.414.XXX
1020	4 × 75	-	75	KEY Lock	79.416.XXX
1020	4 × 75	-	200	KEY Lock	79.418.XXX
1020	5 × 75	-	75	KEY Lock	79.420.XXX
1020	5 × 75	-	200	KEY Lock	79.422.XXX

Equipment

All drawer cabinets with a height of 1020 mm on these two pages are equipped with: 3 raised sides, 20 mm high, including ribbed mat.



Art. no. **79.412.512**
Housing: Light grey, RAL 7035
Fronts: Ruby red, RAL 3003
(excluding partition material)

2 × 36 × 27 E

W → 1430 mm

D ↗ 627 mm

612 × 459 mm



H mm	Drawers mm	Pull-out shelves	kg	Lock	Art. no.
1020	2 × 75	6	75	KEY Lock	79.424.XXX
1020	2 × 75	6	200	KEY Lock	79.425.XXX
1020	4 × 75	2	75	KEY Lock	79.426.XXX
1020	4 × 75	2	200	KEY Lock	79.427.XXX
1020	6 × 75	2	75	KEY Lock	79.428.XXX
1020	6 × 75	2	200	KEY Lock	79.429.XXX
1020	8 × 75	-	75	KEY Lock	79.430.XXX
1020	8 × 75	-	200	KEY Lock	79.431.XXX
1020	4 × 75	4	75	KEY Lock	79.432.XXX
1020	4 × 75	4	200	KEY Lock	79.433.XXX
1020	10 × 75	-	75	KEY Lock	79.434.XXX
1020	10 × 75	-	200	KEY Lock	79.435.XXX



2-way pallet/forklift truck base

Made from sheet steel for screwing to the underside of the housing, black, NCS S 9000-N. **Base cover only** for attaching as a cover on the front or rear.


Base for hinged door cabinet	74.061.000
Dimensions (W × D × H mm)	717 × 506 × 100
Cover only, for hinged door cabinet	74.066.000
Base for sliding door cabinet	12.505.000
Dimensions (W × D × H mm)	1430 × 560 × 100
Cover only, for sliding door cabinet	74.070.000



Art. no. **79.460.180**
Grey white, RAL 9002
(excluding partition material)



NC tool holders and insert frames see p. 102/103



When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix "**C**" or for **RFID** the suffix "**F**" to the article number from the table (e.g. **79.456.XXX.C**).

Other locking systems see p. 28–31

36 × 36 E **W** → 717 mm **D** ↗ 753 mm

612 × 612 mm



H ↑ mm	Drawer top mm	Drawers mm	Pull-out shelves	kg	Lock	Art. no.
1020	-	2 × 75	2	75	KEY Lock	78.222.XXX
1020	-	2 × 75	2	200	KEY Lock	79.436.XXX
1020	2 adjustable shelves		2	75	KEY Lock	78.220.XXX
1020	2 adjustable shelves		2	200	KEY Lock	79.454.XXX
1020	-	4 × 75	1	75	KEY Lock	79.446.XXX
1020	-	4 × 75	1	200	KEY Lock	79.448.XXX
1020	1 × 150	2 × 75	2	75	KEY Lock	79.456.XXX
1020	1 × 150	2 × 75	2	200	KEY Lock	79.458.XXX
1020	1 × 50/1 × 100	1 × 75/2 × 100	1	75	KEY Lock	79.460.XXX
1020	1 × 50/1 × 100	1 × 75/2 × 100	1	200	KEY Lock	79.462.XXX
1020	2 × 75	3 × 75	1	75	KEY Lock	79.464.XXX
1020	2 × 75	3 × 75	1	200	KEY Lock	79.466.XXX
1450	-	2 × 75/1 × 150	2	75	KEY Lock	78.256.XXX
1450	-	2 × 75/1 × 150	2	200	KEY Lock	79.468.XXX
1450	3 adjustable shelves		2	75	KEY Lock	78.224.XXX
1450	3 adjustable shelves		2	200	KEY Lock	79.470.XXX
1450	-	2 × 75/3 × 150	-	75	KEY Lock	79.472.XXX
1450	-	2 × 75/3 × 150	-	200	KEY Lock	79.474.XXX



Art. no. **78.256.010**
Light blue, RAL 5012



2-way pallet/forklift truck base

Description see left-hand page

Base for hinged door cabinet **74.062.000**
Dimensions (W × D × H mm) 717 × 659 × 100

Cover only, for hinged door cabinet **74.066.000**

Base for sliding door cabinet **12.546.000**
Dimensions (W × D × H mm) 1430 × 713 × 100

Cover only, for sliding door cabinet **74.070.000**

2 × 36 × 36 E **W** → 1430 mm **D** ↗ 780 mm

612 × 612 mm



H ↑ mm	Drawers mm	Pull-out shelves	kg	Lock	Art. no.
1020	4 × 75	2	75	KEY Lock	78.259.XXX
1020	4 × 75	2	200	KEY Lock	79.482.XXX
1020	4 adjustable shelves	2	75	KEY Lock	78.258.XXX
1020	4 adjustable shelves	2	200	KEY Lock	79.485.XXX
1020	4 × 75	4	75	KEY Lock	79.478.XXX
1020	4 × 75	4	200	KEY Lock	79.479.XXX

Top-mounted cabinets for drawer cabinets

Lots of storage in a small space: LISTA top-mounted cabinets provide additional storage area when space is at a premium. The stored items are in plain sight and easy to reach because they are positioned at viewing height. LISTA top-mounted cabinets are perfectly coordinated with our drawer cabinets and made from high-quality steel. In short: the perfect add-on for fast access to tools and equipment supporting continuous improvement processes such as Kaizen and 5S.

- + Extra storage area**
when space is at a premium
 - + Everything in sight**
through viewing windows made from UV-resistant shatterproof acrylic glass
 - + Extremely user-friendly**
since the items stored are within easy reach
 - + Securely lockable**
with a choice of hinged doors or space-saving sliding doors
 - + Can be adapted to new storage items at any time**
because adjustable shelves can be flexibly added or converted in 25 mm increments
- >> Benefits of LISTA drawer cabinets**
see p. 38/39



LISTA Units	Depth 27 E			Depth 36 E		
	36 × 27 E	54 × 27 E	78 × 27 E	36 × 36 E	54 × 36 E	78 × 36 E
Cabinet floor area mm	717 × 572 mm	1023 × 572 mm	1431 × 572 mm	717 × 725 mm	1023 × 725 mm	1431 × 725 mm
W → × D ↗						
H ↑ Clear height mm						
Adjustable shelves						
Art. no.						
with solid sheet hinged doors						
1000	930	1	62.637.XXX	62.640.XXX	-	62.636.XXX
with hinged doors with viewing windows						
1000	930	1	-	62.642.XXX	-	62.641.XXX
with solid sheet sliding doors						
1000	930	1	-	62.644.XXX	62.646.XXX	-
with sliding doors with viewing windows						
1000	930	1	-	62.648.XXX	62.650.XXX	-



Multiplex cover panels

To match combination with drawer cabinet depth 36 E (as bottom cabinet) with top-mounted cabinet depth 27 E. Including pre-drilled holes and fastening material.



Adjustable shelves, plain

Adjustable shelves including 4 shelf supports. Specification: steel sheet, galvanised. Long sides folded by 4 × 90°. 30 mm thick, load capacity 60 kg. Adjustable in increments of 25 mm.

Suitable for	36 × 27 E	54 × 27 E	78 × 27 E	36 × 36 E	54 × 36 E	78 × 36 E
Art. no.						
Cover panel, H 20 mm	62.695.000	62.696.000	62.697.000	-	-	-
Usable dimensions (W × D mm)	717 × 152	1023 × 152	1431 × 152			
Adjustable shelf, H 30 mm	62.606.000	62.593.000	62.607.000	62.609.000	62.608.000	62.610.000
Usable dimensions (W × D mm)	695 × 497	1001 × 497	1409 × 497	695 × 650	1001 × 650	1409 × 650



Locking systems

The standard **KEY Lock** locking system with replaceable cylinders allows easy adaptation to existing locking systems. Further locking systems, e.g. CODE Lock and electronic locking via RFID transponder on request.



Doors with viewing windows

Provide an open view of the contents and also encourage users to keep the contents tidy.



Pin hinged doors

Doors are flush with the cabinet housing. Opening angle approx. 115°.



Turn and push cylinder lock and smooth, quiet operation

Cannot be prised out thanks to a bar bent to right angles. The ball bearing rollers of the sliding doors run very quietly on the guide rails.

MORE FLEXIBLE THAN EVER

The new LISTA workshop trolley L3627 has been optimised for you in all of its key features and now offers you even more benefits, functions and improved ergonomics. In addition to even greater load capacities, its flexibility and adaptability make it the perfect solution for every area in the workplace. Because the basic models can be expanded to meet requirements at any time with versatile superstructures and add-ons.



+ Optimum load capacities
Load capacity 40 kg per drawer, 400 kg housing

+ Can be utilised to the full
since drawers can be fully extended and drawer shell heights are optimised

+ Absolutely safe to work with
Central locking and single drawer opening protection against accidental opening when in motion

+ Flexibly adaptable
through perforated side and rear panels for holding accessories and tool hooks

+ Extremely user-friendly
with robust, ergonomic push handle

+ Full mobility
thanks to the smooth-running fixed and swivel castors (two of each) in solid rubber


+ Additional storage space and work surface
through hard-wearing wooden cover or non-slip plastic cover with compartments for small parts

+ Additional safety
through rounded corner pieces made from ABS plastic which act as buffers

>> Fully compatible with LISTA partition material thanks to the standardised unit of measure
see p. 248

+ Fully modular and available in a wide range of versions

Depending on use and individual requirements, the basic models can be flexibly expanded in many ways by means of optional accessories.



Fully extendable without crossbar

- load capacity 40 kg
- enables it to be fully extended
- extremely smooth-running with great ease of movement



Partition material

- perforated, slotted drawers hold items firmly in place
- extensive range of partition material in the LISTA measurement unit see p. 248



Labelling

- handle folds upwards
- easy, clean and protected labelling



Single safety catch

- can be operated with one hand
- protects against accidental opening when in motion



Central locking

- a central locking system for all drawers
- secure and easy to use



Smooth-running castors

- two fixed castors
- two swivel castors including brake
- in solid rubber
- with generous \varnothing 100 mm



Push bar

- robust
- ergonomic
- material: anodised aluminium




Corner pieces

- protect against damage and also protect other workshop equipment or vehicles in the event of accidental contact
- material: ABS plastic
- colour: black, RAL 9005.



Wooden cover

- hard-wearing
- sanded, oiled and waxed surface
- material: Multiplex



Plastic cover

- non-slip
- including compartments for small parts
- material: ABS plastic
- colour: black, RAL 9005.



Perforated side panel

- perforated and slotted for holding accessories and keyhole hooks
- so that everyday tools are always ready to hand



Perforated rear panel

- for fixing to the rear of workshop trolleys
- perforated and slotted for holding accessories and keyhole hooks see p. 162
- ergonomic tool arrangement


Workshop trolley L3627



W → 894 mm **D** ↗ 525 mm **H** ↑ 928 mm Equipment to suit size **36 × 27 E**

 612 × 459 mm



Equipment	Number of drawers mm	Net weight kg	Art. no. 
With wooden cover in Multiplex, 40 mm thick, including single safety catch on right	4: 1 × 100 / 3 × 200	74	81.060.XXX
	5: 2 × 75 / 1 × 150 / 2 × 200	78	81.061.XXX
	6: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	83	81.062.XXX
	7: 4 × 75 / 2 × 100 / 1 × 200	88	81.063.XXX




With plastic cover including single safety catch on right	4: 1 × 100 / 3 × 200	64	81.064.XXX
	5: 2 × 75 / 1 × 150 / 2 × 200	68	81.065.XXX
	6: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	73	81.066.XXX
	7: 4 × 75 / 2 × 100 / 1 × 200	78	81.067.XXX



With plastic cover and edge protection including single safety catch on right	4: 1 × 100 / 3 × 200	66	81.068.XXX
	5: 2 × 75 / 1 × 150 / 2 × 200	70	81.069.XXX
	6: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	75	81.070.XXX
	7: 4 × 75 / 2 × 100 / 1 × 200	80	81.071.XXX


! Note: Additional equipment e.g. castors, drawer partitions or power outlets on request



» drawer partition material see p. 248



Accessories for perforated side panel



Add-on tray

Usable width mm	Usable depth mm	Art. no.
380	310	81.081.000


steel sheet, black, powder coated, including ribbed mat, black



Paper roll holder

for rolls Ø mm	Length mm	Art. no.
400	360	81.058.000


steel sheet, black, powder coated



Spray can holder

Height mm	Width mm	Depth mm	Art. no.
70	380	74	81.083.000


steel sheet, black, powder coated



Waste container

Content litres	Art. no.
12	81.085.000


steel sheet, black, powder coated



Socket holding plate for Germany

Length in metres	Art. no.
1,5	81.086.000


NCS S 9000-N, black. With Smart socket strip 4 × German socket, black.



Socket holding plate for Switzerland

Length in metres	Art. no.
3,0	81.087.000

NCS S 9000-N, black. With Prime-Line socket strip 4 × Swiss socket, black.




Perforated panel with door on right

Height mm	Width mm	Depth mm	Art. no.
667	380	50	81.084.000

steel sheet, black, powder coated, lockable


Perforated rear panel and accessories



Perforated rear panel

Height mm	Width mm	Art. no.
640	660	81.080.XXX

steel sheet, square holes 10 × 10 mm, distance between holes 38 mm



Container strip

Width mm	Art. no.
665	65.234.060

steel sheet, black, with fixing bracket, load capacity 15 kg, for holding storage containers sizes: 2, 3 and 4 colour: Black



» For keyhole hooks and storage containers see p. 162



Vi kan skreddersy innredningen til ditt behov.

Vi står disponible til å bistå i deres prosjekter.

*3D tegninger.

*Oppmålinger.

*Kartlegging av behov.

*Montasje.

Ta gjerne kontakt med oss om du har et behov som ikke finnes i katalogen.



Lista ble grunnlagt i 1945

Hovedkontoret ligger i Sveits.



Produksjonen foregår i Sveits og Tyskland.



Kontaktinfo:

Ing Yngve Ege AS

Postadresse:
Postboks 1 Sentrum
0101 Oslo

Besøksadresse:
Ryenstubben 5
0679 Oslo

Tel: 23 24 10 00
Fax: 23 24 10 01

ege@ege.no

Produktansvarlig.

Navn:

Telefon:

Epost: